


VER	DATE	VERSION DESCRIPTION				PREPARED	REVIEWED	APPROVED	VERSION
0	06/14/2017	PRELIMINARY – ISSUED FOR OUTREACH & INITIAL PERMITTING							0
1									
2									
3									

- NOTES:
- ALL INFORMATION PRESENTED IS CONCEPTUAL AND SUBJECT TO CHANGE BASED ON ADVANCEMENT OF ENGINEERING.
 - STRUCTURE HEIGHTS DEPICTED ARE AN AVERAGE AND WILL VARY ON A SPAN BY SPAN BASIS.



CROSS-SECTION

GRANITE STATE POWER LINK

NEW OVERHEAD 400kV DC LINE

PHASE 1 ROW


US/CANADA BORDER TO MILE 46.65



PREPARED BY	JTF	06/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX	900007	

VER	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED	VERSION
0	06/14/2017	PRELIMINARY - ISSUED FOR OUTREACH & INITIAL PERMITTING				0
1						
2						
3						

- NOTES:
1. ALL INFORMATION PRESENTED IS CONCEPTUAL AND SUBJECT TO CHANGE BASED ON ADVANCEMENT OF ENGINEERING.
 2. STRUCTURE HEIGHTS DEPICTED ARE AN AVERAGE AND WILL VARY ON A SPAN BY SPAN BASIS.
 3. NEW STRUCTURES TO BE SELF-WEATHERING STEEL WITH BROWN PORCELAIN OR GLASS INSULATORS.
 4. ROW EXPANSION REQUIREMENTS REFLECT WORST CASE. FURTHER ENGINEERING ON-GOING TO REDUCE WIDTH REQUIREMENTS.



INCHES ON ORIGINAL

CROSS-SECTION

GRANITE STATE POWER LINK
NEW OVERHEAD 400kV DC LINE
PHASE 1 ROW


US/CANADA BORDER TO MILE 46.65



PREPARED BY	JTF	60/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX	900007	

VER	DATE	VERSION DESCRIPTION				APPROVED	REVIEWED	PREPARED	VERSION
0	06/14/2017	PRELIMINARY – ISSUED FOR OUTREACH & INITIAL PERMITTING							0
1									
2									
3									

- NOTES:
1. ALL INFORMATION PRESENTED IS CONCEPTUAL AND SUBJECT TO CHANGE BASED ON ADVANCEMENT OF ENGINEERING.
 2. STRUCTURE HEIGHTS DEPICTED ARE AN AVERAGE AND WILL VARY ON A SPAN BY SPAN BASIS.
 3. NEW STRUCTURES TO BE SELF-WEATHERING STEEL WITH BROWN PORCELAIN OR GLASS INSULATORS.
 4. ROW EXPANSION REQUIREMENTS REFLECT WORST CASE. FURTHER ENGINEERING ON-GOING TO REDUCE WIDTH REQUIREMENTS.



INCHES ON ORIGINAL

CROSS-SECTION

GRANITE STATE POWER LINK

NEW OVERHEAD 400kV DC LINE


PHASE 1 ROW


MILE 46.65 TO MILE 52.15



PREPARED BY	JTF	06/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX	900007	

VER	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED	VERSION
0	06/14/2017	PRELIMINARY - ISSUED FOR OUTREACH & INITIAL PERMITTING				0
1						
2						
3						





CROSS-SECTION

GRANITE STATE POWER LINK

NEW OVERHEAD 400kV DC LINE


PHASE 1 ROW

MILE 46.65 TO MILE 52.15

PREPARED BY	JTF	06/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX	900007	

VER	DATE	VERSION DESCRIPTION				PREPARED	REVIEWED	APPROVED	VERSION
0	06/14/2017	PRELIMINARY – ISSUED FOR OUTREACH & INITIAL PERMITTING							0
1									
2									
3									

- NOTES:
- ALL INFORMATION PRESENTED IS CONCEPTUAL AND SUBJECT TO CHANGE BASED ON ADVANCEMENT OF ENGINEERING.
 - STRUCTURE HEIGHTS DEPICTED ARE AN AVERAGE AND WILL VARY ON A SPAN BY SPAN BASIS.



INCHES ON ORIGINAL

CROSS-SECTION

GRANITE STATE POWER LINK

NEW OVERHEAD 400kV DC LINE

PHASE 1 ROW


MILE 52.15 TO MILE 53.17



PREPARED BY	JTF	06/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX	900007	

VER	DATE	VERSION DESCRIPTION				PREPARED	REVIEWED	APPROVED	VERSION
0	06/14/2017	PRELIMINARY – ISSUED FOR OUTREACH & INITIAL PERMITTING							0
1									
2									
3									

- NOTES:
- ALL INFORMATION PRESENTED IS CONCEPTUAL AND SUBJECT TO CHANGE BASED ON ADVANCEMENT OF ENGINEERING.
 - STRUCTURE HEIGHTS DEPICTED ARE AN AVERAGE AND WILL VARY ON A SPAN BY SPAN BASIS.
 - NEW STRUCTURES ARE TO BE SELF-WEATHERING STEEL WITH BROWN PORCELAIN OR GLASS INSULATORS.
 - ROW EXPANSION REFLECTS WORST CASE. FURTHER ENGINEERING ON-GOING TO REDUCE WIDTH REQUIREMENTS.



INCHES ON ORIGINAL


CROSS-SECTION
GRANITE STATE POWER LINK
NEW OVERHEAD 400kV DC LINE
PHASE 1 ROW
MILE 52.15 TO MILE 53.17



PREPARED BY	JTF	06/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX	900007	

VER	DATE	VERSION DESCRIPTION				PREPARED	REVIEWED	APPROVED	VERSION
0	06/14/2017	PRELIMINARY – ISSUED FOR OUTREACH & INITIAL PERMITTING							0
1									
2									
3									

- NOTES:
- ALL INFORMATION PRESENTED IS CONCEPTUAL AND SUBJECT TO CHANGE BASED ON ADVANCEMENT OF ENGINEERING.
 - STRUCTURE HEIGHTS DEPICTED ARE AN AVERAGE AND WILL VARY ON A SPAN BY SPAN BASIS.



CROSS-SECTION

GRANITE STATE POWER LINK

NEW OVERHEAD 400kV DC LINE


PHASE 1 ROW

MILE 53.17 TO MILE 58.23



PREPARED BY	JTF	06/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX	900007	

VER	DATE	VERSION DESCRIPTION				PREPARED	REVIEWED	APPROVED	VERSION
0	06/14/2017	PRELIMINARY - ISSUED FOR OUTREACH & INITIAL PERMITTING							0
1									
2									
3									



PHASE 1 ROW
375' WIDE CORRIDOR - FEE & EASEMENT - NEP
EXPAND ROW 75'
MILE 53.17 TO MILE 58.23
FACING COMERFORD
PROPOSED CONFIGURATION

- NOTES:
1. ALL INFORMATION PRESENTED IS CONCEPTUAL AND SUBJECT TO CHANGE BASED ON ADVANCEMENT OF ENGINEERING.
 2. STRUCTURE HEIGHTS DEPICTED ARE AN AVERAGE AND WILL VARY ON A SPAN BY SPAN BASIS.
 3. NEW STEEL POLE STRUCTURES TO BE WEATHERING STEEL WITH BROWN PORCELAIN OR GLASS INSULATORS.
 4. ROW EXPANSION REQUIREMENTS REFLECT WORST CASE. FURTHER ENGINEERING ON-GOING TO REDUCE WIDTH REQUIREMENTS.


CROSS-SECTION
GRANITE STATE POWER LINK
NEW OVERHEAD 400kV DC LINE
PHASE 1 ROW
MILE 53.17 TO MILE 58.23



PREPARED BY	JTF	06/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX		900007

VER		DATE	VERSION DESCRIPTION				PREPARED		REVIEWED		APPROVED		VERSION
0		06/14/2017	PRELIMINARY – ISSUED FOR OUTREACH & INITIAL PERMITTING										0
1													
2													
3													

- NOTES:
- ALL INFORMATION PRESENTED IS CONCEPTUAL AND SUBJECT TO CHANGE BASED ON ADVANCEMENT OF ENGINEERING.
 - STRUCTURE HEIGHTS DEPICTED ARE AN AVERAGE AND WILL VARY ON A SPAN BY SPAN BASIS.



INCHES ON ORIGINAL

CROSS-SECTION

GRANITE STATE POWER LINK

NEW OVERHEAD 400kV DC LINE

PHASE 1 ROW

MILE 58.23 TO NEW CONVERTER STATION




PREPARED BY	JTF	06/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX	900007	

VER	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED	VERSION
0	06/14/2017	PRELIMINARY - ISSUED FOR OUTREACH & INITIAL PERMITTING				0
1						
2						
3						

NOTES:

1. ALL INFORMATION PRESENTED IS CONCEPTUAL AND SUBJECT TO CHANGE BASED ON ADVANCEMENT OF ENGINEERING.
2. STRUCTURE HEIGHTS DEPICTED ARE AN AVERAGE AND WILL VARY ON A SPAN BY SPAN BASIS.
3. NEW STEEL POLE STRUCTURES TO BE SELF-WEATHERING STEEL WITH BROWN PORCELAIN OR GLASS INSULATORS.
4. ROW EXPANSION REQUIREMENTS REFLECT WORST CASE. FURTHER ENGINEERING ON-GOING TO REDUCE WIDTH REQUIREMENTS.



CROSS-SECTION

GRANITE STATE POWER LINK
NEW OVERHEAD 400kV DC LINE
PHASE 1 ROW

MILE 58.23 TO NEW CONVERTER STATION



PREPARED BY	JTF	06/14/2017
REVIEW BY		
APPROVED BY		
SCALE	NTS	
SHEET	1 OF 1	
INDEX		900007